

PRODUCT LISTING FOR OUR ESKAG

| SL | Therapeutic Segment | Brand Name | Presentation | Composition |
|----|--|-----------------|------------------------|---|
| 1 | Laxative | Relux | Liquid 100ml, 200ml | Polyethylene Glycol 4000 (Each 25ml contains 10 gm Polyethylene Glycol 4000) |
| 2 | Infertility | Enos | Tablet 50 mg, 25 mg | Enos 50 mg- Enclomiphene 50 mg Enos 25 mg-Enclomiphene 25 mg |
| 3 | PCOS | MyOva | Tablet | Myo-inositol-550 mg, D-Chiro-inositol- 13.8 mg, L-Methylfolate-1 mg, Chromium Picolinate-100 mcg, Vitamin D3-1000 I.U |
| 4 | Erectile Dysfunction and Premature Ejaculation | EdUp | Tablet | Tadalafil-10 mg + Dapoxetine-30 mg |
| 5 | Gut Immunity Booster | Folcovit | Capsule | Each capsule contains Lactoferrin-20 mg (Derived from Colostrum)+ Bacillus coagulans- 2 billion spores + Saccharomyces boulardii – 0.25 billion cells + Folic acid- 1.5 mg + Vitamin B12- 15 mcg + Sodium selenite eqv. to elemental Selenium 40 mcg + Zinc acetate eqv to elemental Zinc 12 mg |
| 6 | Diarrhoea | Folcovit Distab | Dispersible Tablet | Each dispersible tablet contains Bacillus coagulans – 1.25 billion spores Folic acid- 1.5 mg Vitamin B12- 15 mcg |
| 7 | Antibiotic associated diarrhea and preoperative care | Biogut | Capsule | Each capsule contains Streptococcus faecalis 30 million Clostridium butyricum 2 million Bacillus mesentericus 1 million Lactic acid bacillus 50 million |
| 8 | Childhood diarrhea | Biogut | Dry Syrup | Each 5 ml reconstituted oral suspension contains approximately Probiotics 1.25 billion cells Streptococcus thermophilus -0.25 billion cells + Lactobacillus acidophilus- 0.15 billion cells + Lactobacillus rhamnosus- 0.15 billion cells + Bacillus |

| | | | | |
|----|---|------------|--------------------|---|
| | | | | coagulans- 0.55 billion cells + Bifidobacterium longum- 0.15 billion cells |
| 9 | Urogenital Infections and Halitosis, Periodontitis | Candyflora | Lozenge | Each Lozenge contains Lactobacillus reuteri- 200 million CFU + Lactobacillus rhamnosus- 50 million CFU + Bifidobacterium longum- 50 million CFU |
| 10 | Diahhroea and Dehydration | Lacolite-Z | Sachet | Each 4.6 gm sachet contains Sodium chloride 0.52 gm + Potassium chloride 0.3 gm + Sodium citrate 0.58 gm + Dextrose (anhydrous) 2.7 gm + Zinc sulphate monohydrate 10.98 mg eqv. to elemental Zinc 4 mg + Bacillus coagulans 0.5 billion cells + Lactobacillus acidophilus 0.25 billion cells + Lactobacillus rhamnosus 0.25 billion cells |
| 11 | Dengue and other heaemorrhagic fever, low platelet count | Carisma | Tablet | Each tablet contains Carica Papaya extract 1100 mg |
| 12 | Lactose Intolerance | Lactoin | Drop | Each ml contains Lactase USP 600 I.U. |
| 13 | Sucralfate, Anti ulcerant, Peptic ulcer | Sufrate | Suspension, 200 ml | Each 5 ml contains: Sucralfate U. S. P. 500 mg |
| 14 | Sucralfate + Oxetacaine, Gastric pain | Sufrate O | Suspension, 200 ml | Each 5 ml contains: Sucralfate U. S. P. 500 mg Oxetacaine 10 mg |
| 15 | Sucralfate for paediatrics | Sufrate P | Suspension, 100 ml | Each 5 ml contains: Sucralfate U. S. P. 500 mg |
| 16 | Haemorrhoids, piles, anal Fissure & anal Fistuale, Diaper rash, Perianal excoriation, Fissure among women, Fissure during pregnancy | Sufrate LA | Cream, 30 gm | Each gm contains: Sucralfate USP 7% w/w Metronidazole IP 1% w/w Lignocaine hydrochloride IP 4% w/w in a cream base |
| 17 | Cuts, wound, Dressing, Pre & post operative care, Diabetic foot ulcer, Bedsore, Vaginal ulcer, Episiotomy wounds, post | Sufrate TP | Ointment, 15 gm | Each gm contains: Sucralfate USP 7% w/w Tinidazole IP 1% w/w Povidone Iodine IP 5% w/w |

| | | | | |
|-----------|--|-------------------------|----------------------|---|
| | caesarean care | | | (Available Iodine 0.5% w/w) water soluble ointment base |
| 18 | Oozing wounds, Cuts, wound, Dressing, Pre & post operative care, Diabetic foot ulcer, Bedsore, Vaginal ulcer, Episiotomy wounds, post caesarean care | Sufrate TP | Powder, 10 gm | Each gm contains: Sucralfate USP 7% w/w Tinidazole IP 1% w/w Povidone Iodine IP 5% w/w (Available Iodine 0.5% w/w) water soluble ointment base |
| 19 | Burn, first degree & second degree Burn , Chronic leg ulcer healing | Sufrate SSD | Cream 15 gm & 200 gm | Each gm contains: Sucralfate USP 7% w/w Silver Sulphadiazine USP 1% w/w Chlorhexidine gluconate Solution IP eqv.to Chlorhexidine gluconate 0.2% w/w 0.2% w/w In cream base |
| 20 | Heartburn, GERD, Hyperacidity, Gastritis, Acid Peptic Disease | Sufrate PZ Sachet | 3.5 gm sachet x 10's | Each 3.50 gm sachet contains: Sucralfate USP 1000 mg Pantoprazole Na-Sesquihydrate (eqv to Pantoprazole) 20 mg Zinc gluconate USP (eqv to elemental Zinc) 10 mg Light Magnesium Carbonate 200 mg |
| 21 | Heartburn, GERD, Hyperacidity, Gastritis, Acid Peptic Disease | Sufrate PZ Jar | 105 gm Jar | Each Teaspoonful (3.50 gm) contains: Sucralfate USP 1000 mg Pantoprazole Na-Sesquihydrate (eqv to Pantoprazole) 20 mg Zinc gluconate USP (eqv to elemental Zinc) 10 mg Light Magnesium Carbonate 200 mg |
| 22 | Aphthous Ulcer, Stomatitis, Gingivitis, Oral Mucositis, periodontitis | Sufrate Orodental Cream | 25 gm | Each gm tube contains Sucralfate USP 17% w/w In a suitable cream base |